

**NEW MOBILE FIELD HOSPITAL MFH 200**

Mobile Medical Center (containerized)  
with 200- Bed Station (in tents)  
and peripheral technical equipment  
(generators, laundry, water treatment, kitchen and sanitary unit)



consisting of:

Pos.	pcs.	unit	placed in
------	------	------	-----------

**A      MMC            Mobile Medical Center (clinical, container part)**

A1	1	OP-Preparation, Shock Treatment	- OPP	Container, 20'- expandable 1:3
A2	1	Operation Theatre (major OP-room with mobile X-Ray-C-arm-unit)	- OP	Container, 20'- expandable 1:3
A3	1	Intensive Care Unit	- ICU	Container, 20'- expandable 1:3
A4	1	Laboratory / Pharmacy Unit	- LabPhU	Container, 20'- no exp.
A5	1	X – Ray Unit (with accessories)	- XRU	Container, 20'- no exp.
A6	1	(Inter-)Connection Container	- CC	Container, 20'- no exp.
A7	1	Utility Unit (store for medical / gas equipment )	- UU	Container, 20'- no exp.
A8	2	Generators (Power Supply Units/ 2x40 KVA each)	- Gen	1- Axle Trailers
A9	1	set Electrical Power Supply Circuit (for field using)	- EPS	(transport container)
A10	1	Sterilization Unit (for clinical using in the MCC)	- StU	Container, 20'- no exp.

**B      BST    200 - Bed Station (clinical, tent part)**

B1	2	Nurse Station	- NSt	Tent (approx. 60 m <sup>2</sup> /each)
B2	2	Administration (reception with 3 exam. beds)	- Adm	Tent (approx. 60 m <sup>2</sup> /each)
B3	8	Interconnection Tents	- CT	Tent system (approx. 120 m <sup>2</sup> /each)
B4c	20	Hospitalisation Tents (bed station with 200 beds)	- HT 200	Tent system (approx. 900 m <sup>2</sup> )
B5	2	generator (Power Supply Units/ 2x40 KVA each)	- Gen	1- Axle Trailers
B6	2	set Electrical Power Supply Circuit (for field using)	- EPS	(transport container)

**C      TE            Technical equipment for MFH (periph part)**

C1	2	Laundry Unit	- LU	1- Axle Trailer
C2	2	Water Treatment Unit	- WTrU	1- Axle Trailer
C3	4	Water Storage Tanks (2500 l/each)	- WStT	Foldable Water Tanks
C4	1	Kitchen Unit	- KitU	1- Axle Trailer
C5	1	Restaurant Unit	- RestU	Tent system (approx. 70 m <sup>2</sup> )
C6	4	Sanitary Cabin            s (2 Toilets, 2 Shower Cabins/ each)	- SC	Container, 20'- no exp.

## **D TP Transport equipment for MFH (transportation part, for information only)**

D1c	18	Transport Units (for MFH 200, 200 beds)	- TU	Container, 20'- no exp.
D2c	30	(Transport) Flat Racks (for MFH 200, 30 Containers)	- TFR	Transport Flats , 20'

## **The Mobile Field Hospital MFH 200 (with 200-bed station)**

The medical containers complete with integration of medical equipment, with electrical, water and medical gas installation and furniture (part A). All medical containers and tents (part B) including (OP- /clinical-) heating- / air condition - system. Execution and delivery in accordance with example as outlined in the "Technical Description / Rescue Station TB 02"

It is understood that the design of the components, which provides rooms for five medical working areas: operating theatre, pre-operating OP, ICU, laboratory, X-ray as well as the tent area with entry area, nursing station, hospitalisation station (see part B) and also the technical peripherie equipment (part C) constitutes an optimal basis for a mobile clinic. As a (clinical) sluice the connecting tent system and the connecting container will protect the entrance area of the medical rooms.

The transportability and quick availability of the variant gives a high degree of mobility , particularly for high standard rescue medical uses in cases of different accidents and catastrophe. The medical concept, the design and the overall organisation of the mobile surgical unit is designed to offer modern medical care to distant regions lacking adequate local services, scenes of natural disasters and for other emergency situations.

Characteristics such as: being able to use the mobile hospital construction within short time for the reception of patient, a fully equipped surgical unit with laboratory and X-ray unit, together with the air-conditioned interior, provide the best in modern mobile medical equipment and doctors' requirements.

The medical equipment, the instruments and doctors' requirements for the mobile surgical unit have been selected, in consultation with experienced medical experts, for quality and reliability in use.

The unit is adequately equipped to enable even major surgical operations to be performed. The guarantee of a high technical and medical standard have been the main consideration in selecting the medical equipment and apparatus, as is the case with the entire scope of the equipment.

## **A MMC Mobile Medical Center (clinical, container part) for MFH 200**

### **A1 OP-Preparation, Shock Treatment - OPP Container, 20'- expandable 1:3**

1 pce. of container 20' x 8' x 8', expandable 1:3, heavy-weight series, central part in insulated steel construction, expandable boxes in aluminium- sandwich construction, required cutouts comparable with an expandable container type 1:3/Export), mono-coloured external painting in white, RAL 9010, with 1-component container paint.

1 easy-mountable sun-roof made of both-side PVC coated fabrics, colour: white.

1 set container leveling support system / leveling jack with plate

1 pce. special air condition / heating for operation area

cooling capacity approx. 6 KW; heating capacity approx. 3 KW

1 pce. Integration – Preparation Area/ Shock

Equipment features like ambulance containers for the U.N. (according to request)

suitable for the Arabian region and self-sufficient in field missions:

- Consulting room approx. 6000x6400x2400 mm as preparation area for operations (see drawing / list of parts Medical Equipment )  
incl. furniture and installation of medical apparatus
- Medical equipment according to list of parts
- Washing facility
- Electric power supply 24V/230V / lighting
- Water supply
- Basic equipment org.materials, tools, cleaning equipment,  
work protection / disinfection material
- Technical documentation (English) **EUR 859,198.--**

**A2 Operation Theatre - OP**  
**(major OP-room with mobile X-Ray-C-arm-unit) Container, 20' - expandable 1:3**

1 pce. of container 20' x 8' x 8', expandable 1:3, heavy-weight series, central part in insulated steel construction, expandable boxes in aluminium-sandwich construction, required cutouts comparable with an expandable container type 1:3/ Export), mono-coloured external painting in white, RAL 9010, with 1-component container paint.

Inner floor surface made of aluminium barleycorn sheet (X-Ray-C-Arm-Handl.!).

1 easy-mountable sun-roof made of both-side PVC coated fabrics, colour: white.

1 set container leveling support system / leveling jack with plate

1 pce. special air condition / heating for operation area

cooling capacity approx. 6 KW; heating capacity approx. 3 KW

1 pce. Integration (major) OP Theatre – with X-Ray-C-arm-unit

Operation area (for general and emergency operations)

Equipment features like ambulance container for the U.N. (according to request)

suitable for the Arabian region and self-sufficient in field missions:

- Consulting room approx. 6000x6400x2400 mm as Operation Theater (see drawing / list of parts Medical Equipment )  
incl. furniture and installation of medical apparatus
- Medical equipment according to list of parts
- mobile washing facility, to be placed in working position in access container
- Electric power supply 24V/230V / lighting
- Basic equipment org.materials, tools, cleaning equipment,  
work protection / disinfection material
- Technical documentation (English) **EUR 1,062,800.--**

**A3 Intensive Care Unit - ICU**  
**Container, 20' - expandable 1:3**

1 pce. of container 20' x 8' x 8', expandable 1:3, heavy-weight series, central part in insulated steel construction, expandable boxes in aluminium-sandwich construction, required cutouts comparable with an expandable container type 1:3/Export), mono-coloured external painting in white, RAL 9010, with 1-component container paint.

1 easy-mountable sun-roof made of both-side PVC coated fabrics, colour: white.

1 set container leveling support system / leveling jack with plate

1 pce. of sluices Multi-Purpose-Tent (EHZ II) to medical container

The sluices are made of both-side PVC coated fabrics,

identical with the tent-cover material.



**A5 X – Ray Unit (with accessories) - XRU Container, 20’ - no exp.**

1 pce. of container 20’ x 8’ x 8’, in insulated steel construction.  
Insulation made of mineral wool, internal roof- and wall surfaces with  
desinfectant-resistant HBL-coated plywood sheet. Floor made of melamine-  
coated silk screen print sheet. 1 pce. of entrance-door in the rear-wall, incl.  
sluice-connecting ledge. 1 pce. of box for the external power socket.  
Each 1 pce. of box for C and D-water-coupling. Front wall reinforced for installing  
an external compressor-unit of your split airconditioner.  
Front of roof reinforced for installing the evaporator-unit of your split airconditioner.  
Mono-coloured external painting in white, RAL 9010, with 1-component container paint.  
1 set container leveling support system / leveling jack with plate  
1 pce. of sluices Multi-Purpose-Tent to medical container  
The sluices are made of both-side PVC coated fabrics,  
identical with the tent-cover material.  
1 pce. air condition / heating for normal Lab area  
cooling capacity approx. 6 KW; heating capacity approx. 3 KW

1 pce. Integration X – Ray Area  
Equipment features like ambulance container for the U.N. (according to request)  
suitable for the Arabian region and self-sufficient in field missions:

- Consulting room as X-ray Area  
(see drawing / list of parts of medical equipment)  
incl. protection against radiation  
incl. furniture and installation of x-ray equipment  
incl. partition consulting / control room
- power supply 24V/230V / lighting (via generator)
- Basic equipment org.-material, tools, cleaning material,  
work protection / disinfection material
- Technical documentation (German / English)
- X-Ray Equipment (see also list of parts Medical Equipment)
  - Basic X-ray system COSMOS BS (Philips)/
  - OPTION: SIEMENS comparable configuration
  - standard digitalized configuration incl.
  - X-Ray-Generator,
  - table for patient, mobile installation
  - digitized film-foil-storage system Compano S
  - developing unit (System Kodak Dry View, DICOM Store and Print)
  - X-ray viewing equipment
  - protective x-ray clothes

**EUR 618,304.--**

**A6 (Inter-)Connection Container - CC Container, 20’ - no exp.**

**(Main-) VARIANT A**

1 pce. of container 20’ x 8’ x 8’, in insulated steel construction.  
Insulation made of mineral wool, internal roof- and wall surfaces with  
desinfectant-resistant HBL-coated plywood sheet. Floor made of melamine-  
coated silk screen print sheet. 1 pce. of entrance-door in the rear-wall, incl.  
connecting sluice to the tent-unit. Each 1 cutout with connecting-sluice in both  
side walls and in the front-wall (totally 3), for coupling of the medical containers.  
Cutouts with removable transport cover.  
All sluices are made of both-side PVC coated fabrics, identical with the tent-cover  
material. 1 pce. of box for the external power socket.

Mono-coloured external painting in white, RAL 9010, with 1-component container paint.  
 1 set container leveling support system / leveling jack with plate  
 1 pce. of sluices Multi-Purpose-Tent to medical container  
 The sluices are made of both-side PVC coated fabrics, identical with the tent-cover material.  
 1 pce. Integration Connecting Container  
 - storage room for MFH - equipment in transportation status incl. holders for equipment in transport boxes  
 - sluice, spacing area between the tent area and the medical OP-rooms with a mobile hand-washing and disinfecting facility (before entering the OPP-/OP-area)  
 - Water supply  
 - Electric power supply 24V/230V / lighting  
 - Basic equipment org.materials, tools, cleaning equipment, work protection / disinfection material  
 - Technical documentation (English) **EUR 229,189.--**

**A7 Utility Unit**

(store for medical / gas equipment ) - UU **Container, 20' - no exp.**

1 pce. of container 20' x 8' x 8', in insulated steel construction.  
 Insulation made of mineral wool, internal roof- and wall surfaces with disinfectant-resistant HBL-coated plywood sheet. Floor made of melamine-coated silk screen print sheet. 1 pce. of entrance-door in the rear-wall, incl. sluice-connecting ledge. 1 pce. of box for the external power socket.  
 Each 1 pce. of box for C and D-water-coupling. Front wall reinforced for installing an external compressor-unit of your split airconditioner.  
 Front of roof reinforced for installing the evaporator-unit of your split airconditioner.  
 Mono-coloured external painting in white, RAL 9010, with 1-component container paint.  
 1 set container leveling support system / leveling jack with plate  
 1 pce. air condition / heating for normal Lab area  
 cooling capacity approx. 6 KW; heating capacity approx. 3 KW  
 1 pce. Integration utility/ medical gas equipment  
 (see drawing / list of parts of medical equipment)  
 incl. storage supply equipment for medical gases (O2, N2O, Air), compressor plant, storage set of 6 (50 l-)gas bottles, (clinical 700 l-) watertank for the OP-area  
 incl. furniture and installation of the med-gas equipment  
 - Water supply  
 - power supply 24V/230V / lighting (via generator)  
 - storage room for MFH - equipment in transportation status incl. holders for equipment in transport boxes  
 - Basic equipment org.-material, tools, cleaning material, Work protection / disinfection material  
 - Technical documentation (English) **EUR 295,562.--**

**A8 2 pcs. Generators**

(Power Supply Units/ 2x40 KVA each) - Gen on 2 pcs. 1- Axle Trailers

- 2 pcs. of 1-axle trailer in reinforced design.  
 - Each trailer with 2 pcs. of 40 KVA diesel power – generators.  
 - Technical details see attached data-sheet.  
**(EUR 165,400.00 / pce.) 2 pcs. EUR 330,800.--**

**A9 1 set Electrical Power Supply Circuit**  
**(for field using) - EPS (transport container)**

For the MMC containers: 7 pcs. of distributors  
 (each equipped with 5 x 230 V power-exit-socket,  
 1 x 400 V / 16 A power-exit socket, 1 x 400 V, 32 A power-entry socket)  
 14 pcs. of connecting cables, 20 metres each, with CEE-couplings.  
 30 pcs. of connecting cables, 10 metres each, one end with 230 V plug,  
 other end with triple-socket 230 V. **EUR 35,986.--**

**A10 Sterilization Unit**  
**(for clinical using in the MCC) - StU Container, 20' - no exp.**

1 pce. of container 20' x 8' x 8', in insulated steel construction.  
 Insulation made of mineral wool, internal roof- and wall surfaces with  
 disinfectant-resistant HBL-coated plywood sheet. Floor made of melamine-  
 coated silk screen print sheet. 1 pce. of entrance-door in the rear-wall, incl.  
 sluice-connecting ledge. 1 pce. of box for the external power socket.  
 Each 1 pce. of box for C and D-water-coupling. Front wall reinforced for installing  
 an external compressor-unit of your split airconditioner.  
 Front of roof reinforced for installing the evaporator-unit of your split airconditioner.  
 Mono-coloured external painting in white, RAL 9010, with 1-component container paint.  
 1 set container leveling support system / leveling jack with plate  
 1 pce. of sluices Multi-Purpose-Tent to medical container  
 The sluices are made of both-side PVC coated fabrics,  
 identical with the tent-cover material.  
 1 pce. air condition / heating for normal Lab area  
 cooling capacity approx. 6 KW; heating capacity approx. 3 KW  
 1 pce. Integration (clinical) sterilisation unit  
 (see drawing / list of parts of medical equipment)  
 - Dirt/clean-room-areas,  
 - storage supply equipment for medical instruments/clothes,  
 2 pcs. high pressure-steam-autoclave devices,  
 - special steel - furniture and installation of the med. sterilizing equipment  
 - water supply  
 - power supply 24V/230V / lighting (via generator)  
 - storage room for MH - equipment in transportation status  
 incl. holders for equipment in transport boxes  
 - Basic equipment org.-material, tools, cleaning material,  
 work protection / disinfection material  
 - Technical documentation (English) **EUR 351,761.--**

**COMPLETE PRICE OF PART A (without OPTIONS):**  
**MMC Mobile Medical Center (clinical, container part) for MFH 200**

**EUR 5,058,421.--**

**B BST 200 200 -Bed Station (clinical, tent part)**

**B1 Nurse Stations - NSt 2 tents (approx. 60 m<sup>2</sup>/each)**

1 pces of multi-purpose-tent (or inflantable), 4 sections,  
appr. 9,60 x 6,30 m (LxW)= 60,5 m<sup>2</sup> with PVC – floor.  
Outer covers /sun-roof made of both-side PVC coated fabrics, colour white. Tent with inner-liner made  
of lined fabrics, condensation absorbing, outside PVC coated.  
1 pce. of sluices tent to tent  
The sluices are made of both-side PVC coated fabrics,  
identical with the tent-cover material.  
1 pce. of (tent-) aircon unit , split design with  
heating-pump (industrial standard), 7 KW cooling- and 8 KW  
heating capacity, refrigerant R407C.  
1 pce. Integration Nurse (100/200 - Bed) Station  
(see drawing / lists of parts of Medical Equipment )  
- 1 mobile furnished nurses' room and original station's equipment  
(life care set, org.-, cleaning- disinfection material,  
4 trolleys with band-aids, 4 washing trolleys  
- 1 furnished day room and original equipment like  
emergency kits, defibrillator, first-aid-kit, refrigerator, cooking/washing area  
- 1 basic set of med. consuming goods (2x 60 sets of laundry)  
- power supply 24V/230V / lighting (see point B6)  
- Technical documentation (English)  
2 pcs. NSt for BST 200 (EUR 136,424.00/each) EUR 272,848.--

**B2 Administration (reception with 3 exam. beds) - Adm 2 tents (approx. 60 m<sup>2</sup>/each)**

1 pce. of multi-purpose-tent (or inflantable), 4 sections,  
appr. 9,60 x 6,30 m (LxW)= 60 m<sup>2</sup>, PVC – floor.  
Outer covers /sun-roof made of both-side PVC coated fabrics,  
colour white. Tent with inner-liner made of lined fabrics,  
condensation absorbing, outside PVC coated.  
1 pce. of sluices tent to tent  
The sluices are made of both-side PVC coated fabrics,  
identical with the tent-cover material.  
1 pce. of (tent-) aircon unit , split design with  
heating-pump (industrial standard), 7 KW cooling- and 8 KW  
heating capacity, refrigerant R407C.  
1 pce. Integration Administration/ Reception (100 - Bed) Station  
(see drawing / lists of parts of Medical Equipment )  
- Consulting area for the MH general specialist /  
entrance area for the patients with 3 examination beds  
- mobile furniture and installation set of general medical equipment  
- Medical equipment according to list of parts  
- (mobile) Washing facility  
- Electric power supply 24V/230V / lighting (see point B6)  
- Basic equipment org. materials, tools, cleaning equipment,  
work protection / disinfection material  
- Technical documentation (English)  
2 pcs. Adm for BST 200 (EUR 122,163.00/each) EUR 244.326,--

**B3 Interconnection Tents (4) - CT 2 tent systems (approx. 120 m<sup>2</sup>/each)**

2 pcs. of multi-purpose-tent (or inflatable), 2 x 4 sections,  
appr. 2 x 9,60 x 6,30 m (LxW) = 121 m<sup>2</sup>, with PVC – floor.  
Outer covers and sun-roof made of both-side PVC coated fabrics,  
colour white. Tent with inner-liner made of lined fabrics,  
condensation absorbing, outside PVC coated.

1 pce. of sluices tent to tent

The sluices are made of both-side PVC coated fabrics,  
identical with the tent-cover material.

Electric power supply 24V/230V / lighting (see point B6)

2 pcs. of (tent-) aircon units , split design with  
heating-pump (industrial standard), 7 KW cooling- and 8 KW  
heating capacity, refrigerant R407C.

2 pcs. CT systems for BST 200 (EUR 124,583.00/each) **EUR 249,166.--**

**B4c 20 Hospitalisation Tents (bed station with 200 beds) - HT 200 Tent system (approx. 900 m<sup>2</sup>)**

20 pcs. of multi-purpose-tents (or inflatable), 20 x 3 sections, for 20 x 10 beds  
appr. 20x 7,60 x 6,30 m (LxW) = 900 m<sup>2</sup>, with PVC – floor.

Outer covers and sun-roof made of both-side PVC coated fabrics,  
colour white. Tent with inner-liner made of lined fabrics,  
condensation absorbing, outside PVC coated.

4 pcs. of sluices tent to tent

The sluices are made of both-side PVC coated fabrics,  
identical with the tent-cover material.

Electric power supply 24V/230V / lighting (see point B6)

20 pcs. of (tent-) aircon units , split design with  
heating-pump (industrial standard), 7 KW cooling- and 8 KW  
heating capacity, refrigerant R407C.

1 pce. Integration Hospitalisation (200 - Bed) Station  
(see drawing / lists of parts of Medical Equipment )

- 20 bed areas in tents at 10 beds each, fully equipped bed station.

Each bed space consisting of 1 hospital bed /stackable,  
a mattress with protectice cover, 1 bedside table  
incl. foldable closets and installation

- Electric power supply 24V/230V / lighting (see point B6)

- Basic equipment org. materials, tools, cleaning equipment,  
work protection / disinfection material (see Nurse Station)

- Technical documentation (English)

HT 200 / BST 200 **EUR 2,055,610.--**

**B5 2 pcs. Generator (Power Supply Units/ 2x40 KVA each) - Gen 1- Axle Trailers**

- 2 pce. of 1-axle trailer in reinforced design.

- Each trailer with 2 pcs. of 40 KVA diesel power – generators.

- Technical details see attached data-sheet.

2 Gen / BST 200 (EUR 142,758.00/each) **EUR 285,516.--**

**B6 2 set Electrical Power Supply Circuit (for field using) - EPS (transport container)**

For the BST tent area: 2x 7 pcs. of distributors  
 (each equipped with 5 x 230 V power-exit-socket,  
 1 x 400 V / 16 A power-exit socket, 1 x 400 V, 32 A power-entry socket)  
 14 pcs. of connecting cables, 20 metres each, with CEE-couplings.  
 30 pcs. of connecting cables, 10 metres each, one end with 230 V plug,  
 other end with triple-socket 230 V.  
 Tent lighting: 40 lamps, each 230 V/2x36W  
 (10 lamps with 10 m cable and 30 lamps with 5 m cable)  
 2 EPS / BST 200 (EUR 33,000.00/each) **EUR 66,000.--**

**COMPLETE PRICE OF PART B :  
 BST 200 Bed Station (clinical, tent part) for MFH 200**

**EUR 3,153,466.--**

**C TE Technical equipment for MFH (periphall part)**

**C1 Laundry Units - LU 1- Axle Trailer**

Mobile Field Laundry TFL 25  
 The mobile trailer-based field laundry enables a trained person  
 to wash and dry approx. 25 kg laundry per hour.  
 Robust, functionally safe and specially designed for mobile field  
 operations of armed forces and civil organisations.  
 See: Technical description of the washing machine, dryer ,  
 generator and the trailer Technical product information / catalogue  
 "Trailer Field Laundry TFL 25"

2 pcs. LU for BST 200 (EUR 220,200,00/each) **EUR 440,400.--**

**C2 Water Treatment Units - WTrU 1- Axle Trailer**

1 pce WATERCLEAN 1600-GT,  
 Modular Water Purification System including electrical power generator,  
 heating system and a specially developed trailer for use in heavy terrain  
 The Waterclean 1600 water treatment system makes the processing of  
 contaminated water into drinking water possible.  
 Waterclean 1600 decontaminates the water continuously and fully automatically,  
 i.e. makes it drinkable – without addition of chemicals.  
 See: Technical Description of the Water Purification System  
 on the trailer and Technical product information / catalogue WATERCLEAN

2 pcs. WtrU for BST 200 (EUR 233,231,00/each) **EUR 466,462.--**

**C3 4 pcs. Storage Tanks (2500 l/each) - WStT Foldable Water Tanks**

4 pcs. Water tanks, foldable, 2500 liter/each  
 mounted on pallets

4 WStT for BST 200 (EUR 4,000.00/each) **EUR 16,000.--**

**C4 Kitchen Unit - KitU 1- Axle Trailer**

Mobile Field Kitchen with Pressure Vaporization Burner  
 Type MFK 2/96

The modular construction of the MFK 2/96 makes it a flexible field kitchen system. For the preparation of up to 250 meals. The modules can be mounted on a trailer or used as separate cooking units. See: Technical description of the Mobile Kitchen Unit, on the trailer and Technical product information / catalogue MFK EUR 81,720.--

**C5 Restaurant Unit - RestU Tent system (approx. 70 m<sup>2</sup>)**

1 pce. of multi-purpose-tent , 5 sections, appr. 12,00 x 6,30 m (LxW), with PVC-floor. Outer covers and sun-roof made of both-side PVC coated fabrics, colour white. Tent with inner-liner made of lined fabrics, condensation absorbing, outside PVC coated.

2 pcs. of (tent-) aircon unit , split design with heating-pump (industrial standard), 7 KW cooling- and 8 KW heating capacity, refrigerant R407C.

1 pce. BINZ- Integration Restaurant Tent (see drawing / lists of parts of Medical Equipment )

- (field) restaurant area in tents at 30 places, fully equipped. with foldable tables and seats (banches)
- Electric power supply 24V/230V / lighting (see point 8a)
- Basic equipment org. materials, tools, cleaning equipment, work protection / disinfection material
- Technical documentation (English)

**EUR 86,010.--**

**C6 4 pcs. Sanitary Cabins** in 4 containers, 20'- no exp.

(2 Toilets, 2 Shower Cabins/ each) - SC

4 pcs. of standard sanitary cabins in standard design, 20' x 8' x 8'6". Mono-coloured external painting in white, RAL 9010, with 1-component container paint. Technical details see attached data-sheet.

4 pcs. SC for BST 200 (EUR 23,546.00/each) **EUR 94.184,--**

**COMPLETE PRICE OF PART C :**

**TE Technical equipment for MFH (periphall part) for MFH 200**

**EUR 1,184,776.--**

**D TP Transport equipment for MFH (transportation part) FOR INFORMATION ONLY**

**D1c 18 pcs. Transport Units - TU Container, 20' - no exp.**  
(for MFH 200, 200 beds)

18 pcs. of standard freight-container 20' x 8' x 8' made of steel. Mono-coloured external painting in white, RAL 9010, with 1-component

container paint. Front-wall with standard container double-wing door.

5 pcs. of these freight container are required for storing the tents (with quoted wooden floors) and the sluice-systems.

1 pce. of freight-container is required for the tent aircon-units and the electrical tent components (see point 8a, distributors, cable-sets, lighting-systems).

8 pce. are required for the medical equipment of the bed (tent-) station.

18 pcs. TU / BST 100 (EUR 8.900,00 / each) **EUR 160,200.--**

**For transportation of the 8 functional medical containers of MFH 200, the 4 sanitary units and the necessary 18 transportation units (containers) are required 30 trucks e.g. :**

**Type MB 2031 A, 4x4 wheel base 4500 mm , GVW 18 t, 360 hp with 20'-ISO-Container-loading/adaption- system. For the offloading of the containers under field conditions we propose a (mobile) 50 t- crane e.g. Type FAUN RTF 50 or better.**

**COMPLETE PRICE OF PART D:**

**TE Transport equipment for MFH**

**EUR 160,200.--**

**TOTAL PRICE of MFH 200 (parts A, B, C, D)**

**EUR 9.556.863,--**

**SUBJECT TO TECHNICAL ALTERATIONS**

**3. Other**

**3.1. Consuming goods (need), set of spare parts (covering 5 years of usage) specification upon receipt of order (scope of value approx 5 % of goods' value)**

**3.2. Training and handing-over cost at the factory in Germany for total of Mobile Hospital order for up to 10 persons / 5 working days incl. accommodation plus 30 EUR per person and day, pick-up at Frankfurt/Main Airport**

**50.000,00 EUR**

**3.3. Transportation cost f.o.b. Germny**

**BST 200**

**115.000,00 EUR**

**3.4. Cost for project engineering of integration performance included Drawings ./.**

**3.5. Delivery dates :**

**The first unit system to be delivered 9 months after having received the order. Subsequent deliveries to be arranged**

**3.6. Stipulation of payment:**

**To be laid down in the contract**

**3.7. Prices**

**ex work Germany**

**net (no Value Added Tax)**

**3.8. Further Information::**


**Export clearing, organization and handling of customs formalities including transportation ex works German to recipient/user to be stipulated separately.**

**Origin: Germany**

**Remarks: Size, Equipment could be changed according to your requirements**

**Legend:**

- OPP OP-Preparation, Shock Treatment
- OP Operation Theatre
- ICU Intensive Care Unit
- Lab/PHU Laboratory/Pharmacy Unit
- XRU X-Ray Unit
- CC Connection Container
- UU Utility Unit



- Gen Generator (4)
- StU Sterilisation Unit
- NSt Nurse Station Tent
- Adm Administration Tent
- CT Interconnection Tents (4,5)
- HT Hospitalisation Tents (6)
- LU Laundry Unit
- WTrU Water Treatment Unit
- WSiT Storage Tanks (2)
- KiU Kitchen Unit
- RestU Restaurant Unit (Tent)
- SC Sanitary Cabins (2)
- TU Transport Units (8)
- EPs Electrical Power Supply Circuit





Transportation





Container